




POWER SELECTION




CCT SELECTION

I _{out} [mA]	1	2	3	4	Temp. [°C]	[W]	[lm]
300	-	-	-	-	3000k	11,3	1505
	-	-	-	-	3500k	10,9	1565
	-	-	-	-	4000k	11,2	1590
350	-	-	-	ON	3000k	13,1	1765
	-	-	-	ON	3500k	12,7	1850
	-	-	-	ON	4000k	13,1	1880
400	-	-	ON	-	3000k	14,9	2015
	-	-	ON	-	3500k	14,3	2115
	-	-	ON	-	4000k	14,8	2150
450	-	-	ON	ON	3000k	16,7	2275
	-	-	ON	ON	3500k	16,2	2405
	-	-	ON	ON	4000k	16,7	2425
500	-	ON	-	-	3000k	18,6	2525
	-	ON	-	-	3500k	17,9	2660
	-	ON	-	-	4000k	18,5	2695
550	-	ON	-	ON	3000k	20,5	2780
	-	ON	-	ON	3500k	19,8	2915
	-	ON	-	ON	4000k	20,4	2965
600	-	ON	ON	-	3000k	22,1	3005
	-	ON	ON	-	3500k	21,3	3165
	-	ON	ON	-	4000k	22,1	3200
650	-	ON	ON	ON	3000k	24	3240
	-	ON	ON	ON	3500k	23,1	3405
	-	ON	ON	ON	4000k	23,9	3450
700	ON	-	-	-	3000k	26,1	3775
	ON	-	-	-	3500k	25,2	3720
	ON	-	-	-	4000k	26,1	3775
750	ON	-	-	ON	3000k	27,9	3770
	ON	-	-	ON	3500k	27	4045
	ON	-	-	ON	4000k	27,9	4010
800	ON	-	ON	-	3000k	29,6	3980
	ON	-	ON	-	3500k	28,5	4160
	ON	-	ON	-	4000k	29,5	4230
850	ON	-	ON	ON	3000k	31,4	4190
	ON	-	ON	ON	3500k	30,3	4400
	ON	-	ON	ON	4000k	31,3	4470
900	ON	ON	-	-	3000k	33	4390
	ON	ON	-	-	3500k	31,9	4610
	ON	ON	-	-	4000k	33	4680
950	ON	ON	-	ON	3000k	34,9	4610
	ON	ON	-	ON	3500k	33,6	4830
	ON	ON	-	ON	4000k	34,8	4905
1000	ON	ON	ON	-	3000k	36,4	4795
	ON	ON	ON	-	3500k	35,1	5030
	ON	ON	ON	-	4000k	36,3	5105
1050	ON	ON	ON	ON	3000k	38	5000
	ON	ON	ON	ON	3500k	37	5245
	ON	ON	ON	ON	4000k	38	5325




LTL...ADJ






LTL LENS SET S 60D

Index: 38394



LTL LENS SET AS 35X35

Index: 38395



TEAR N TR 1M




TEAR N CON-L-RL



TEAR N TR 2M



TEAR N CON-T-LRR



TEAR N PCON R



TEAR N CON-I FLEX



TEAR N PCON L



TEAR N CON-X



TEAR N SKIT



TEAR N SCLAMP



TEAR N EPLUG



TEAR N ADAPTOR



TEAR N CON-I



TEAR N ICON-I

