

The logo for miLEDo, featuring the brand name in a green, lowercase sans-serif font. The letter 'i' is lowercase, while 'LED' is uppercase. A solid black circle is positioned above the letter 'L', and a small registered trademark symbol (®) is located at the end of the word. The logo is centered within a white, rounded rectangular background.

miLEDo

Nowość

PANEL LED  
**BAREV ECO**



# miLEDo



## **BAREV ECO**

wysoka skuteczność  
światlna **120lm/W**,  
**łatwa instalacja**,  
**montaż podtynkowy**

**Nowość**



# miLEDo



**120**  
lm/W



**Bezpiecznie  
spakowane.  
- po 10 szt.**

Pojedyncza sztuka  
pakowana w folię  
termokurczliwą  
+ naklejka  
z kodem




## BAREV ECO



<b>31169</b>	BAREV ECO 36W 6060NW	36W	<b>4320lm</b>
--------------	----------------------	-----	---------------



napięcie znamionowe: **220-240 V**  
źródło światła: **LED SMD**  
kąt świecenia: **110°**  
temperatura świecenia: **4000K**  
materiał obudowy: **tworzywo sztuczne**  
materiał klosza: **tworzywo sztuczne**  
szczelność: **IP20**  
klasa ochronności przed porażeniem  
elektrycznym: **I**



**BAREV ECO 36W 6060NW**